

----- POPULATION ESTIMATES -----				----- LONG-TERM CARE -----		----- LOCAL HEALTH DEPARTMENTS -----		
Total 2004 Population		38,690		Community Options and MA Waiver as HSRS reports costs for services		Staffing - FTE		Per 10,000 Population
Population per square mile		67				Total staff		26.6
County ranking in state ( 1-72)		28				Administrative		2.6
						Public health nurses		4.3
						Other prof. staff		8.9
						Technical/Paraprof.		1.0
						Support staff		9.9
								2.6

## NATALITY

TOTAL LIVE BIRTHS			466	Birth Order		Births	Percent	Marital Status of Mother		Births	Percent	
Crude Live Birth Rate			12.0	First		183	39	Married		364	78	
General Fertility Rate			49.8	Second		164	35	Not married		102	22	
				Third		76	16	Unknown		0	0	
Live births with reported congenital anomalies			6	1.3%	Fourth or higher		42	9				
					Unknown		1	<.5				
Delivery Type			Births	Percent	1st Prenatal Visit		Births	Percent	Education of Mother		Births	Percent
Vaginal after previous cesarean			2	<.5	1st trimester		411	88	Elementary or less		0	0
Forceps			2	<.5	2nd trimester		43	9	Some high school		7	2
Other vaginal			322	69	3rd trimester		7	2	High school		119	26
Primary cesarean			81	17	No visits		1	<.5	Some college		141	30
Repeat cesarean			59	13	Unknown		4	1	College graduate		198	42
									Unknown		1	<.5
Birthweight			Births	Percent	Prenatal Visits		Births	Percent	Smoking Status of Mother		Births	Percent
<1,500 gm			4	0.9	No visits		1	<.5	Smoker		54	12
1,500-2,499 gm			23	4.9	1-4		11	2	Nonsmoker		410	88
2,500+ gm			438	94.0	5-9		107	23	Unknown		2	<.5
Unknown			1	<.5	10-12		189	41				
					13+		153	33				
					Unknown		5	1				
-----												
Race/Ethnicity			Births	Percent	Low Birthweight (under 2,500 gm)		Trimester of First Prenatal Visit					
							1st Trimester		2nd Trimester		Other/Unknown	
							Births	Percent	Births	Percent	Births	Percent
White			450	97	22 4.9		395	88	43	10	12	3
Black/Afr.American			6	1	5 83.3		6	100	.	.	.	.
American Indian			1	<.5	* .		*	.	*	.	*	.
Hispanic/Latino			7	2	. .		7	100	.	.	.	.
Laotian/Hmong			0	0	. .		.	.	.	.	.	.
Other/Unknown			2	<.5	* .		*	.	*	.	*	.
-----												
Age of Mother			Births	Fertility Rate	Low Birthweight (under 2,500 gm)		Trimester of First Prenatal Visit					
							1st Trimester		2nd Trimester		Other/Unknown	
							Births	Percent	Births	Percent	Births	Percent
<15			0	--	. .		.	.	.	.	.	.
15-17			5	4	. .		3	60	2	40	.	.
18-19			16	19	1 6.3		12	75	3	19	1	6
20-24			86	37	5 5.8		70	81	11	13	5	6
25-29			169	151	7 4.1		149	88	16	9	4	2
30-34			120	115	10 8.3		113	94	7	6	.	.
35-39			58	46	3 5.2		52	90	4	7	2	3
40+			12	8	1 8.3		12	100	.	.	.	.
Unknown			0	--	. .		.	.	.	.	.	.
Teenage Births			21	10	* Data not reported if age or race category has less than 5 births.							

\* Data not reported if age or race category has less than 5 births.

## ----- MORBIDITY -----

## ----- MORTALITY -----

## REPORTED CASES OF SELECTED DISEASES\*

Disease	Number
Campylobacter Enteritis	7
Giardiasis	<5
Hepatitis Type A	<5
Hepatitis Type B**	<5
Hepatitis NANB/C	10
Legionnaire's	0
Lyme	8
Measles	0
Meningitis, Aseptic	0
Meningitis, Bacterial	0
Mumps	0
Pertussis	76
Salmonellosis	8
Shigellosis	0
Tuberculosis	0

\* 2004 provisional data.

\*\* Includes all positive HBsAg test results.

Sexually Transmitted Disease	
Chlamydia Trachomatis	53
Genital Herpes	5
Gonorrhea	<5
Syphilis	0

## ----- IMMUNIZATIONS -----

Children in Grades K-12 by Compliance Level	
Compliant	7,772
Non-compliant	202
Percent Compliant	97.5

Note: Death rates (except infant) are per 100,000 population. Infant, neonatal, and postneonatal death rates are per 1,000 live births. Perinatal and fetal death rates are per 1,000 live births plus fetal deaths. Rates are not calculated for fewer than 20 deaths.

TOTAL DEATHS	232
Crude Death Rate	600

Age	Deaths	Rate
1-4	1	.
5-14	.	.
15-19	2	.
20-34	8	.
35-54	25	220
55-64	24	666
65-74	40	2,054
75-84	56	4,365
85+	74	13,074

Infant Mortality	Deaths	Rate
Total Infant	2	.
Neonatal	.	.
Postneonatal	2	.
Unknown	.	.

Race of Mother	
White	1
Black	.
Hispanic	1
Laotian/Hmong	.
Other/Unknown	.

Birthweight	
<1,500 gm	.
1,500-2,499 gm	1
2,500+ gm	1
Unknown	.

Perinatal Mortality	Deaths	Rate
Total Perinatal	4	.
Neonatal	.	.
Fetal	4	.

Selected Underlying Cause	Deaths	Rate
Heart Disease (total)	49	127
Ischemic heart disease	30	78
Cancer (total)	63	163
Trachea/Bronchus/Lung	17	.
Colorectal	6	.
Female Breast	3	.*
Cerebrovascular Disease	19	.
Lower Resp. Disease	8	.
Pneumonia & Influenza	8	.
Accidents	18	.
Motor vehicle	10	.
Diabetes	13	.
Infect./Parasitic Dis.	3	.
Suicide	3	.

\* Based on female population.

## ALCOHOL AND DRUG ABUSE AS UNDERLYING OR CONTRIBUTING CAUSE OF DEATH

Alcohol	6	.
Tobacco Use	48	124
Other Drugs	.	.

## ----- MOTOR VEHICLE CRASHES -----

Note: These data are based on location of crash, not on residence.

Type of Motor Vehicle Crash	Persons Injured	Persons Killed
Total Crashes	248	8
Alcohol-Related	36	3
With Citation:		
For OWI	20	0
For Speeding	13	0
Motorcyclist	16	0
Bicyclist	1	0
Pedestrian	5	0

## 2004 HOSPITALIZATIONS

DISEASE / AGE GROUP	Number	Per 1,000 Pop	Average Stay (Days)	Average Charge	Charge Per Capita	DISEASE / AGE GROUP	Number	Per 1,000 Pop	Average Stay (Days)	Average Charge	Charge Per Capita
Injury-Related: All						Alcohol-Related					
Total	155	4.0	3.3	\$13,803	\$55	Total	68	1.8	5.0	\$4,481	\$8
<18	10	.	.	.	.	18-44	39	2.4	5.2	\$4,485	\$11
18-44	36	2.2	2.2	\$9,905	\$22	45-64	25	2.7	4.8	\$4,634	\$12
45-64	36	3.9	4.3	\$19,801	\$76	Pneumonia and Influenza					
65+	73	19.2	3.7	\$13,847	\$266	Total	70	1.8	3.3	\$8,068	\$15
Injury: Hip Fracture						<18	8	.	.	.	.
Total	23	0.6	4.7	\$18,326	\$11	45-64	12	.	.	.	.
65+	21	5.5	4.9	\$18,944	\$105	65+	48	12.6	3.7	\$9,019	\$114
Injury: Poisonings						Cerebrovascular Disease					
Total	13	.	.	.	.	Total	40	1.0	3.2	\$8,391	\$9
18-44	7	.	.	.	.	45-64	9	.	.	.	.
Psychiatric						65+	30	7.9	2.7	\$7,023	\$56
Total	115	3.0	6.1	\$5,008	\$15	Chronic Obstructive Pulmonary Disease					
<18	26	2.8	3.4	\$3,133	\$9	Total	51	1.3	2.5	\$5,727	\$8
18-44	68	4.2	7.5	\$5,927	\$25	<18	7	.	.	.	.
45-64	18	.	.	.	.	18-44	2	.	.	.	.
65+	3	.	.	.	.	45-64	15	.	.	.	.
Coronary Heart Disease						65+	27	7.1	3.3	\$7,378	\$52
Total	73	1.9	2.6	\$15,972	\$30	Drug-Related					
45-64	23	2.5	2.3	\$21,572	\$53	Total	24	0.6	5.7	\$4,054	\$3
65+	48	12.6	2.8	\$13,669	\$173	18-44	17	.	.	.	.
Malignant Neoplasms (Cancers): All						Total Hospitalizations					
Total	52	1.3	4.1	\$14,868	\$20	Total	2,327	60.1	2.8	\$8,040	\$484
18-44	5	.	.	.	.	<18	416	44.5	2.1	\$2,204	\$98
45-64	12	.	.	.	.	18-44	710	43.9	2.9	\$6,759	\$296
65+	35	9.2	4.1	\$12,867	\$119	45-64	455	48.7	3.0	\$10,773	\$525
Neoplasms: Female Breast (rates for female population)						65+	746	196.5	3.1	\$10,847	\$2,132
Total	6	.	.	.	.						
Neoplasms: Colo-rectal						----- PREVENTABLE HOSPITALIZATIONS* -----					
Total	12	.	.	.	.	Total	336	8.7	2.7	\$6,860	\$60
65+	9	.	.	.	.	<18	43	4.6	1.5	\$3,098	\$14
Neoplasms: Lung						18-44	37	2.3	2.4	\$6,915	\$16
Total	4	.	.	.	.	45-64	75	8.0	2.5	\$6,395	\$51
Diabetes						65+	181	47.7	3.1	\$7,935	\$378
Total	20	0.5	3.1	\$8,429	\$4						
65+	9	.	.	.	.						

\* Hospitalizations for conditions where timely and effective ambulatory care can reduce the likelihood of hospitalization.